

## Пружины растяжения UNI-X, RSN

Материал: оцинкованная сталь

Единица: 1 шт

Торговое 1 количество:

Используется с системой направляющих UNI-X, Описание:

| HIGHT [mm] | WIDTH [mm] |       |       |       |       |       |       |       |       |       |  |  |
|------------|------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--|--|
|            | 2250       | 2375  | 2400  | 2500  | 2600  | 2750  | 3000  | 3250  | 3500  | 3750  |  |  |
| 2000       | SN215      | SN216 | SN216 | SN217 | SN217 | SN217 | SN218 | SN219 | SN220 | SN220 |  |  |
| 2125       | SN415      | SN416 | SN416 | SN417 | SN417 | SN417 | SN418 | SN419 | SN420 | SN420 |  |  |
| 2250       | SN415      | SN416 | SN416 | SN417 | SN417 | SN417 | SN418 | SN419 | SN420 | SN420 |  |  |
| 2375       | SN615      | SN616 | SN616 | SN617 | SN617 | SN617 | SN618 | SN619 | SN620 | SN620 |  |  |
| 2500       | SN615      | SN616 | SN616 | SN617 | SN617 | SN617 | SN618 | SN619 | SN620 | SN620 |  |  |

| HIGHT [mm] | WEIGHT [kg]      |                  |                  |                  |                  |          |  |  |  |  |
|------------|------------------|------------------|------------------|------------------|------------------|----------|--|--|--|--|
| 2000       | 47-53kg          | 54-58kg          | 59-64kg          | 65-70kg          | 71-76kg          | 77-85kg  |  |  |  |  |
|            | SN215            | SN216            | SN217            | SN218            | SN19             | SN220    |  |  |  |  |
| 2125       | 51-56kg          | 57-62kg          | 62-68kg          | 69-73kg          | 74-81kg          | 82-89kg  |  |  |  |  |
|            | SN415            | SN416            | SN417            | SN418            | SN419            | SN420    |  |  |  |  |
| 2250       | 53-59kg          | 60-64kg          | 65-71kg          | 72-77kg          | 78-85kg          | 86-94kg  |  |  |  |  |
|            | SN415            | SN416            | SN417            | SN418            | SN419            | SN420    |  |  |  |  |
| 2375       | 56-63kg          | 64-69kg          | 70-75kg          | 76-82kg          | 83-90kg          | 91-98kg  |  |  |  |  |
|            | SN615            | SN616            | SN617            | SN618            | SN619            | SN620    |  |  |  |  |
| 2500       | 59-66kg<br>SN615 | 67-72kg<br>SN616 | 73-78kg<br>SN617 | 79-86kg<br>SN618 | 87-94kg<br>SN619 | 95-103kg |  |  |  |  |

